

References for the presentation “Balancing Increasing Recreation and Conservation in Strathcona Park” by Erin Sketchley (SWI Summer Student 2020)

- 1: Temple, K. L., Camper, A. K., & Lucas, R. C. (1982). Potential health hazard from human wastes in wilderness. *Journal of Soil and Water Conservation*, 37(6), 357-359.
- 2: Hall, T. E., & Farrell, T. A. (2001). Fuelwood depletion at wilderness campsites: Extent and potential ecological significance. *Environmental Conservation*, 28(3), 241-247. doi:10.1017/S037689290100025X
- 3: Fenn, D. B., J. G. Gogue, and R. E. Burge. 1976. Effects of campfires on soil properties. Ecological Services Bulletin 76- 20782. USDI National Park Service, Washington, DC, 16 pp.
- 4: Blanset, D. L., Zhang, J. (., & Robson, M. G. (2007). Probabilistic estimates of lifetime daily doses from consumption of drinking water containing trace levels of N,N-diethyl-meta-toluamide (DEET), triclosan, or acetaminophen and the associated risk to human health. *Human and Ecological Risk Assessment: An International Journal*, 13(3), 615-631. doi:10.1080/10807030701341209
- 5: U.S. Environmental Protection Agency. Reregistration eligibility decision (RED) for DEET, EPA 738-R-98-010, Washington, DC.; 1998.
- 6: Aronson, D., Weeks, J., Meylan, B., Guiney, P. D., & Howard, P. H. (2012). Environmental release, environmental concentrations, and ecological risk of N,N-diethyl-m-toluamide (DEET). *Integrated Environmental Assessment and Management*, 8(1), 135-166. doi:10.1002/ieam.271
- 7: Weeks, J., Guiney, P., & Nikiforov, A. (2012). Assessment of the environmental fate and ecotoxicity of N,N-diethyl-m-toluamide (DEET). *Integrated Environmental Assessment and Management*, 8(1), 120-134. doi:10.1002/ieam.1246
- 8: Balmer, M. E., Buser, H., Müller, M. D., & Poiger, T. (2005). Occurrence of some organic UV filters in wastewater, in surface waters, and in fish from swiss lakes. *Environmental Science & Technology*, 39(4), 953-962. doi:10.1021/es040055r
- 9: Kim, S., & Choi, K. (2014). Occurrences, toxicities, and ecological risks of benzophenone-3, a common component of organic sunscreen products: A mini-review. *Environment International*, 70, 143-157. doi:10.1016/j.envint.2014.05.015
- 10: Banks, P. B., & Bryant, J. V. (2007). Four-legged friend or foe? dog walking displaces native birds from natural areas. *Biology Letters* (2005), 3(6), 611-613. doi:10.1098/rsbl.2007.0374
- 11: Whinam, J., & Chilcott, N. M. (2003). Impacts after four years of experimental trampling on alpine/sub-alpine environments in western tasmania. *Journal of Environmental Management*, 67(4), 339-351. doi:10.1016/S0301-4797(02)00218-9
- 12: Ford, K., & Hille Ris Lambers, J. (2017, August 28). *Predicting the effects of future climate change on the subalpine and alpine meadows of Pacific Northwest Mountains*. National Park Service. <https://www.nps.gov/articles/predicting-climate-change.htm>